

TEVVA



TECHNICAL
SPECIFICATIONS

UK SPECIFICATIONS

| MODEL | UNIT | TEV75B | TEV75BH2 |
|------------------------------------|-------------|--------------------------------|-------------------------------------|
| VEHICLE TYPE | | | |
| VEHICLE CATEGORY & CLASS | | 7.5T | 7.5T |
| POWERTRAIN SYSTEM | | | |
| DRIVE TYPE | | BATTERY ELECTRIC VEHICLE (BEV) | DUAL FUEL SYSTEM - BATTERY/HYDROGEN |
| MAXIMUM POWER | KW | 192 | 192 |
| MAXIMUM TORQUE | NM | 596 | 596 |
| TRANSMISSION | | SINGLE SPEED AUTOMATIC | SINGLE SPEED AUTOMATIC |
| PERFORMANCE | | | |
| MAXIMUM GRADEABILITY (%) | % | 20 | 20 |
| RANGE | MILES | 111 | 270 |
| TOTAL BATTERY CAPACITY | KWH | 108 | 112 |
| BATTERY CHEMISTRY | | LFP | LFP |
| CHARGING AC TYPE 2 (POWER) | KW | 22 | 22 |
| CHARGING AC TYPE 2 (TIME) 90% | HRS | 5 | 5 |
| H2 REFUELLING TIME | MINUTES | - | 10 |
| HYDROGEN FUEL TANK CAPACITY | KG | - | 9 |
| HYDROGEN TANK PRESSURE | BAR | - | 350 |
| ELECTRICAL SYSTEM | | | |
| ELECTRIC MOTOR TYPE | | ELECTRIC TRACTION MOTOR | ELECTRIC TRACTION MOTOR |
| SUSPENSION | | | |
| SUSPENSION SYSTEM - LEAF SPRING | | STANDARD | STANDARD |
| SUSPENSION SYSTEM - AIR SUSPENSION | | OPTIONAL | OPTIONAL |
| BRAKES | | | |
| FRONT & REAR BRAKES | | HYDRAULICS & DISC | HYDRAULICS & DISC |
| DIMENSIONS | | | |
| MAX LENGTH | MM | 8362 | 8362 |
| OVERALL WIDTH | MM | 2160 | 2160 |
| OVERALL HEIGHT | MM | 2555 | 2555 |
| FRONT OVERHANG | MM | 1272 | 1272 |
| REAR OVERHANG | MM | 1815 | 1815 |
| WHEELBASE | MM | 4815 | 4815 |
| TURNING RADIUS | MM | 15700 | 15700 |
| MIN PLATFORM LENGTH | MM | - | - |
| MAX PLATFORM LENGTH | MM | - | - |
| WEIGHTS | | | |
| GROSS VEHICLE WEIGHT | KG | 7499 | 7499 |
| TOTAL KERB WEIGHT * | KG | 4548 | 4752 |
| PAYLOAD + BODY WEIGHT ALLOWANCE * | KG | UP TO 2952 | UP TO 2718 |
| TIRES | | | |
| TIRE SIZES | | 225/75 | 225/75 |
| RIM SIZES | | R17.5 | R17.5 |

*These numbers are subject to slight change when the optional air suspension is chosen

EU SPECIFICATIONS

| MODEL | UNIT | TEV75B | TEV75BH2 |
|------------------------------------|-------------|--------------------------------|-------------------------------------|
| VEHICLE TYPE | | | |
| VEHICLE CATEGORY & CLASS | | N2 | N2 |
| POWERTRAIN SYSTEM | | | |
| DRIVE TYPE | | BATTERY ELECTRIC VEHICLE (BEV) | DUAL FUEL SYSTEM - BATTERY/HYDROGEN |
| MAXIMUM POWER | KW | 192 | 192 |
| MAXIMUM TORQUE | NM | 596 | 596 |
| TRANSMISSION | | SINGLE SPEED AUTOMATIC | SINGLE SPEED AUTOMATIC |
| PERFORMANCE | | | |
| MAXIMUM GRADEABILITY (%) | % | 20 | 20 |
| RANGE | KM | 178 | 435 |
| TOTAL BATTERY CAPACITY | KWH | 108 | 112 |
| BATTERY CHEMISTRY | | LFP | LFP |
| CHARGING AC TYPE 2 (POWER) | KW | 22 | 22 |
| CHARGING AC TYPE 2 (TIME) 90% | HRS | 5 | 5 |
| H2 REFUELLING TIME | MINUTES | - | 10 |
| HYDROGEN FUEL TANK CAPACITY | KG | - | 9 |
| HYDROGEN TANK PRESSURE | BAR | - | 350 |
| ELECTRICAL SYSTEM | | | |
| ELECTRIC MOTOR TYPE | | ELECTRIC TRACTION MOTOR | ELECTRIC TRACTION MOTOR |
| SUSPENSION | | | |
| SUSPENSION SYSTEM - LEAF SPRING | | STANDARD | STANDARD |
| SUSPENSION SYSTEM - AIR SUSPENSION | | OPTIONAL | OPTIONAL |
| BRAKES | | | |
| FRONT & REAR BRAKES | | HYDRAULICS & DISC | HYDRAULICS & DISC |
| DIMENSIONS | | | |
| OVERALL LENGTH | MM | 8362 | 8362 |
| OVERALL WIDTH | MM | 2160 | 2160 |
| OVERALL HEIGHT | MM | 2555 | 2555 |
| FRONT OVERHANG | MM | 1272 | 1272 |
| REAR OVERHANG | MM | 1815 | 1815 |
| WHEELBASE | MM | 4815 | 4815 |
| TURNING RADIUS | MM | 15700 | 15700 |
| MIN PLATFORM LENGTH | MM | - | - |
| MAX PLATFORM LENGTH | MM | - | - |
| WEIGHTS | | | |
| GROSS VEHICLE WEIGHT | KG | 7499 | 7499 |
| TOTAL KERB WEIGHT * | KG | 4548 | 4752 |
| PAYLOAD + BODY WEIGHT ALLOWANCE * | KG | UP TO 2952 | UP TO 2718 |
| TIRES | | | |
| TIRE SIZES | | 225/75 | 225/75 |
| RIM SIZES | | R17.5 | R17.5 |

*These numbers are subject to slight change when the optional air suspension is chosen

EQUIPMENT FEATURES

| MODEL | TEV75B | TEV75BH2 |
|---|---------------|-----------------|
| INTERIOR DESIGN | | |
| SEAT - SHEET SURFACE COLOUR: BLACK, FABRIC SEAT (HD)/ARMREST + LUMBAR SUPPORT + SUSPENSION (DRIVER) | ● | ● |
| PLEATHER & COLOURED SEATS | ○ | ○ |
| EXTERIOR DESIGN | | |
| COLOUR (WHITE) | ● | ● |
| COLOUR (OTHER) | ○ | ○ |
| LED HEAD LAMP | ● | ● |
| HYDRAULIC CAB TILTING | ● | ● |
| TIRES & WHEELS | | |
| ALL WEATHER TYRES | ○ | ○ |
| STEEL WHEEL | ● | ● |
| ALLOY WHEELS | ○ | ○ |
| SPARE TIRE & CARRIER | ○ | ○ |
| DRIVER COMPARTMENT | | |
| PARKING BRAKE LEVER | ● | ● |
| DOOR LOCK SYSTEM: CENTRAL DOOR LOCK (ALL DOORS) + KEY ENTRY SYSTEM | ● | ● |
| TECHNOLOGY | | |
| MANUAL CABIN AIR CONDITIONING | ● | ● |
| RADIO AUDIO (BLUETOOTH / DAB AS STANDARD) | ● | ● |
| FULL DIGITAL CLUSTER | ● | ● |
| TACHOGRAPH | ● | ● |
| CRUISE CONTROL | ● | ● |
| SPEED LIMITER | ● | ● |
| SPEED LIMITER, DRIVER CONFIGURABLE | ● | ● |
| ELECTRIC CAB WINDOWS | ● | ● |
| EHPAS (ELECTRONIC HYDRAULIC POWER ASSISTED STEERING) | ● | ● |
| STEERING WHEEL CONTROLS (VOLUME, CHANNEL SELECT & PHONE) | ● | ● |
| 12V POWER SOCKET (X2) | ● | ● |
| USB PORT X 3 | ● | ● |
| TEVVA TELEMATICS SYSTEM | ● | ● |
| DUAL FUEL RANGE MANAGEMENT | ⊗ | ● |
| HIGH POWER EPTO | ⊗ | ● |

- Standard
- Optional
- ⊕ Fitted with body builder
- ⊗ Not available

EQUIPMENT FEATURES

| MODEL | TEV75B | TEV75BH2 |
|---|---------------|-----------------|
| SAFETY | | |
| HILL HOLDER | ● | ● |
| LDWS (LANE DEPARTURE WARNING SYSTEM) | ● | ● |
| ESP | ● | ● |
| EBS | ● | ● |
| AEBS | ● | ● |
| AVAS (ACOUSTIC VEHICLE ALERT SYSTEM) | ⊗ | ⊗ |
| SEATBELT 2 MAIN & 1 LAP | ● | ● |
| SEAT OCCUPIED, SEATBELT NOT FASTENED NOTIFICATION | ● | ● |
| DRIVER SEAT, INTEGRATED SEATBELT, 8-WAY ADJUSTMENT, HEADREST | ● | ● |
| PASSENGER BENCH SEAT, INTEGRATED SEATBELT, 8-WAY ADJUSTMENT, HEADREST | ● | ● |
| ABS (ANTI-LOCK BRAKE SYSTEM) | ● | ● |
| REVERSE WARNING BUZZER | ⊕ | ⊕ |
| ENERGY ABSORBING BUMPER (TEVVA DESIGN) | ● | ● |
| H2 SENSORS | ⊗ | ● |
| FRONT BLIND SPOT MIRROR | ● | ● |
| PASSENGERS SIDE KERB BLIND SPOT MIRROR | ● | ● |
| STOWAGE | | |
| GLOVEBOX OVERHEAD STOWAGE (WITH LID) | ● | ● |
| OVERHEAD DOCUMENT STOWAGE (OPEN) | ● | ● |
| STEERING COLUMN COIN STOWAGE (X2) | ● | ● |
| COIN STOWAGE | ● | ● |
| CENTRE ARMREST STOWAGE AREA | ● | ● |
| GLOVEBOX OPEN SHELF | ● | ● |
| CENTRE CONSOLE BOTTLE STOWAGE (X2 BOTTLES) | ● | ● |
| CAB REAR STOWAGE BOXES (X3 COMPARTMENTS) | ● | ● |
| LARGE DOOR BINS (X2 EACH DOOR) | ● | ● |
| UNDER SEAT STOWAGE PASSENGER & DRIVER | ● | ● |
| COAT HOOKS X6 | ● | ● |
| OTHER | | |
| REGENERATIVE BRAKING | ● | ● |
| STABILIZER (FRONT/REAR) | ● | ● |
| SHOCK ABSORBER (FRONT/REAR) | ● | ● |
| BRAKING SYSTEM: WABCO | ● | ● |
| TOOL BOX | ⊕ | ⊕ |

- Standard
- Optional
- ⊕ Fitted with body builder
- ⊗ Not available